



**SWCP PERMETHRIN GRANULES**

**Kills on contact\* Up to 4 week control**

**Kills: Fire Ants, Grubs, Fleas, Ants, Crickets, Brown Dog Ticks, Chinch Bugs, Armyworms, Cutworms, Earwigs, Sod Webworms and other listed insects\*. Ready to use.**

**ACTIVE INGREDIENT:**

Permethrin [\*-(3-phenoxyphenyl) methyl (?) cis-trans-3- (2,2-dichloroethyl) -2,2-Dimethylcyclopropanecarboxyate]..... 0.25%

**INERT INGREDIENTS:**..... 99.75%

**TOTAL 100.00%**

\*cis-trans isomer ratio: min 35% (?) cis, max. 65% (?) trans.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**FIRST AID**

**IF SWALLOWED:**

- ? Call a poison control center or doctor immediately for treatment advice.
- ? Have person sip a glass of water if able to swallow.
- ? Do not induce vomiting unless told to do so by the poison control center or doctor.
- ? Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:**

- ? Take off contaminated clothing.
- ? Rinse skin with plenty of water for 15-20 minutes.
- ? Call a poison control center or doctor for treatment advice.

**IF IN EYES:**

- ? Hold eye open and rise slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye.
- ? Call a poison control center or doctor for treatment advice.

**IF INHALED:**

- ? Move person to fresh air.
- ? If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- ? Call a poison control center or doctor for treatment advice.

See additional precautionary statements on back of bag.

EPA Reg. No. 51036-322-73273

EPA Est. No. 73273-TX-

**Net Weight 25 lbs.**

**Manufactured by:  
Southwest Contract Packaging  
P.O. Box 17985  
San Antonio, TX 78217-0985**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid inhalation of dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food and feed.

**STOP. READ ENTIRE LABEL BEFORE USE.**

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor use around the home only.

**Three Easy Steps to Use this Product:**

Step #1: Determine size of the job, measure the area to be treated.

Step #2: Use spreader setting chart to determine appropriate setting for your spreader.

Step #3: Treat as directed in rate chart. Thorough coverage is important. Water in granules where indicated.

<b>SPREADER SETTING NO. (Per 1000 sq. ft.)</b>					
Spreader Make and Model	Spread Width	Grass or Dichondra Lawns 1 pound	Grass or Dichondra Lawns 2 pounds	White grubs, Billbugs 2½ pounds	St. Augustine Lawn 3 pounds
Central Imperial Make No. 1662-G	18 in.	6	6½	7	7¼
Central Suburbia Lawn Spreader No. 1622-0	18 in.	6	6½	7	7½
Cyclone Model B1/Rotary	5 ft.	4	4½	4¾	5
Cyclone Model B55 Rotary	5 ft.	4½	4¾	5	5½
Greenfield Model 105	18 in.	6	6½	6¾	7¼
Ortho Drop Spreader Model 3000	5 ft.	4	4½	5	5½
Ortho Broadcast Spreader Model 4000	5 ft.	4	4½	6	7
Ortho Broadcast Spreader Model 5000	18 in.	6½	6¾	8½	11
Ortho Broadcast Spreader Model 6000	5 ft.	1	2½	4	5
J.C. Penny Model 6005	21 in.	6	7¼	7½	8
J.C. Penny Rotary Spreader	5 ft.	4	5	6	7
Scotts Model 35	5 ft.	3	4	4½	5
Scotts Model ER2	3 ft.	26½	28	28	31½
Scotts Model PF3	21 in.	6	8	8	11
Sears Craftsman Model 671-19198	5 ft.	5	6	6½	4
Sears Model 671-1987	5 ft.	3½	4	4	5
VWR Masterline R75FB	9 ft.	F	H	H/I	I

Note: The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to assure correct rate of application.

**Directions for Applying PERMETHRIN GRANULES**

Treatment Areas	Target Pest	Remarks	Use Rate
Band Treatment Around House Foundation	Ants, Fleas, Brown dog ticks, Millipedes, Clover mites, Roaches, Spiders, Silverfish, Sowbugs (Pillbugs), Crickets, Earwigs	These pests are commonly found around or near foundations of houses as well as in lawns. Certain of these pests may enter houses. Apply a 5-foot band of granules uniformly. Water lightly after application. Repeat as necessary.	3.2 oz. for each 100 sq. ft. area (5' by 20')
Overall Lawn Application for Grass and Dichondra Lawns	Ants, Armyworms, Brown dog ticks, Chinch bugs, Clover mites, Crickets, Cutworms, Earwigs, Fleas, Lawn moths (webworms), Leafhoppers, Millipedes, Sowbugs.	Apply with a fertilizer spreader. See spreader setting chart on the back of bag. Apply when grass is dry. Water lawn lightly after application. Repeat as necessary.	For application with other types of equipment, apply at the rate of 2 lbs. per 1000 sq. ft. (and area 20' by 50') or 3.2 oz. per 100 sq. ft. (an area 10' by 10'). For heavy lawns such as St. Augustine grass, the rate should be increased to 3 lbs. per 1000 sq. ft. (or 4.8 oz. per 100 sq. ft.)
	Grubs, Japanese beetle grubs, Ataenious sprelulus (dung beetles)	Water grass thoroughly after application. For billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. Repeat as necessary. For grub control, except dung beetle, treat any time between late July and early October. For dung beetle grub control, apply in spring or early summer when damage is first noticed. Water grass thoroughly with ¼ - ½ inches of water after application. Treat again in late summer or early fall if a second generation occurs.	Apply 2.5 lbs. per 1000 sq. ft. of lawn.
Spot Treatment	Ants	Water lightly after application. Repeat as necessary.	Apply 1½ teaspoons over and around each anthill.
	Fire Ants	Immediately after application, water in thoroughly. A minimum of 1 gallon of water should be applied to each mound area. Reapply as necessary. Apply gently to avoid disturbing ants. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness. Note: For best results, apply in cool weather, 65 - 80°F, or in early morning or late evening hours. Treat new mounds as they appear. Fast acting, works within 24 hours. (No waiting for weeks).	Apply 1 cup (4 oz.) over, and 2 ft. around each fire ant mound.



### **STORAGE AND DISPOSAL**

**Storage:** Store product in original container in a locked storage area.

**Disposal:** Do not reuse empty container. Wrap container and put in trash collection.

### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish. Do not apply directly to water. Drifts and runoff from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when disposing of equipment washwaters.

**NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.**