

MATERIAL SAFETY DATA SHEET

TALSTAR® PROFESSIONAL INSECTICIDE



MSDS Ref. No.: 82657-04-3-149

Date Approved: 11/17/2006

Revision No.: 1

This document has been prepared to meet the requirements of the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200; the EC directive, 2001/58/EC and other regulatory requirements. The information contained herein is for the concentrate as packaged, unless otherwise noted.

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	TALSTAR® PROFESSIONAL INSECTICIDE
PRODUCT CODE:	6339
ACTIVE INGREDIENT(S):	Bifenthrin
CHEMICAL FAMILY:	Pyrethroid Pesticide
MOLECULAR FORMULA:	C ₂₃ H ₂₂ ClF ₃ O ₂ (bifenthrin)
SYNONYMS:	FMC 54800; (2-methyl[1,1'-biphenyl]-3-yl)methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC: 2-methylbiphenyl-3-ylmethyl (Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate

U.S. EPA REGISTRATION NUMBER: 279-3206

MANUFACTURER

FMC CORPORATION
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103
(800) 321-1362 (General Information)

EMERGENCY TELEPHONE NUMBERS

(800) 331-3148 (FMC - U.S.A. & Canada)
(716) 735-3765 (FMC - Reverse charges)

For leak, fire, spill, or accident emergencies, call:
(800) 424-9300 (CHEMTREC - U.S.A. & Canada)
(703) 527-3887 (CHEMTREC - All Other Countries)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

- Beige liquid with a bland odor.
- Slightly combustible. May support combustion at elevated temperatures.
- Thermal decomposition and burning may form toxic by-products.
- For large exposures or fire, wear personal protective equipment.

- Highly toxic to fish and aquatic organisms. Keep out of drains and water courses.

POTENTIAL HEALTH EFFECTS: Effects from overexposure may result from either swallowing, inhaling or coming into contact with the skin or eyes. Symptoms of overexposure include bleeding from the nose, tremors and convulsions. Contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These skin sensations are reversible and usually subside within 12 hours.

MEDICAL CONDITIONS AGGRAVATED: None presently known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Wt. %	EC No.	EC Class
Bifenthrin	82657-04-3	7.9	None	R25-20-43-50/53; S1/2-23-24-37-38-45-29
Propylene Glycol	57-55-6	<6.2	200-338-0	Not classified

4. FIRST AID MEASURES

EYES: Flush with plenty of water. Get medical attention if irritation occurs and persists.

SKIN: Wash with plenty of soap and water.

INGESTION: Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with a finger. Never induce vomiting or give anything by mouth to an unconscious person. Contact a medical doctor.

INHALATION: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, contact a medical doctor.

NOTES TO MEDICAL DOCTOR: This product has low oral, dermal and inhalation toxicity. It is practically non-irritating to the eyes and is non-irritating to the skin. Reversible skin sensations (paresthesia) may occur and ordinary skin salves have been found useful in reducing discomfort. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Foam, CO₂ or dry chemical. Soft stream water fog only if necessary. Contain all runoff.

FIRE / EXPLOSION HAZARDS: Slightly combustible. This material may support combustion at elevated temperatures.

FIRE FIGHTING PROCEDURES: Isolate fire area. Evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke, gases or vapors generated.

6. ACCIDENTAL RELEASE MEASURES

RELEASE NOTES: Isolate and post spill area. Wear protective clothing and personal protective equipment as prescribed in Section 8, "Exposure Controls/Personal Protection". Keep unprotected persons and animals out of the area.

Keep material out of lakes, streams, ponds and sewer drains. Dike to confine spill and absorb with a non-combustible absorbent such as clay, sand or soil. Vacuum, shovel or pump waste into a drum and label contents for disposal.

To clean and neutralize contaminated area, scrub area with a solution of detergent (e.g. commercial product such as SuperSoap™, Tide®, Spic and Span®, or other high pH detergent) and water. Let solution sit for 5 minutes. Use a stiff brush to scrub affected area. Repeat if necessary to remove visible staining. Additional decontamination can be made by applying bleach (Clorox® or equivalent) to affected area.

Absorb wash-liquid as noted above, remove visibly contaminated soil and place into recovery / disposal container (plastic, open-top steel drum or equivalent). Place all clean-up material in a container, seal and dispose of in accordance with the method outlined in Section 13 "Disposal Considerations" below.

For further information on spill clean-up, waste disposal, or return of salvaged product, call the FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

7. HANDLING AND STORAGE

HANDLING AND STORAGE: Store in a cool, dry, well-ventilated place. Do not use or store near heat, open flame or hot surfaces. Store in original containers only. Keep out of reach of children and animals. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Chemical Name	ACGIH	OSHA	Supplier
Propylene Glycol		10.0 mg/m ³ (WEEL)	

ENGINEERING CONTROLS: Use local exhaust at all process locations where vapor or mist may be emitted. Ventilate all transport vehicles prior to unloading.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For splash, mist or spray exposure, wear chemical protective goggles or a face shield.

RESPIRATORY: For splash, mist or spray exposure wear, as a minimum, a properly fitted air-purifying respirator with an organic vapor cartridge (OV) or canister with any R, P or HE prefilter (approved by U.S. NIOSH/MSHA, EU CEN or comparable certification organization). Respirator use and selection must be based on airborne concentrations.

PROTECTIVE CLOTHING: Depending upon concentrations encountered, wear coveralls or long-sleeved uniform and head covering. For larger exposures as in the case of spills, wear full body cover barrier suit, such as a PVC suit. Leather items - such as shoes, belts and watchbands - that become contaminated should be removed and destroyed. Launder all work clothing before reuse (separately from household laundry).

GLOVES: Wear chemical protective gloves made of materials such as rubber, neoprene, or PVC. Thoroughly wash the outside of gloves with soap and water prior to removal. Inspect regularly for leaks.

WORK HYGIENIC PRACTICES: Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum, or using tobacco. Shower at the end of the workday.

COMMENTS:

Personal protective recommendations for mixing or applying this product are prescribed on the product label. Information stated above provides useful, additional guidance for individuals whose use or handling of this product is not guided by the product label.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR:	Bland
APPEARANCE:	Beige liquid
DENSITY / WEIGHT PER VOLUME:	8.53 lb/gal. (1024 g/L)
FLASH POINT:	> 100 °C (> 212 °F) (TCC)
MOLECULAR WEIGHT:	422.88 (bifenthrin)
pH:	6.7
SOLUBILITY IN WATER:	Disperses
SPECIFIC GRAVITY:	1.024 @ 20°C (water =1)

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID:	Excessive heat and fire.
STABILITY:	Stable
POLYMERIZATION:	Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon monoxide, carbon dioxide, chlorine, fluorine, hydrogen chloride and hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Practically non-irritating

SKIN EFFECTS: Non-irritating

DERMAL LD₅₀: > 2,000 mg/kg (rabbit)

ORAL LD₅₀: 632 mg/kg (rat)

INHALATION LC₅₀: 11.58 mg/l (1 h) (rat)

ACUTE EFFECTS FROM OVEREXPOSURE: This product has low oral, dermal and inhalation toxicity. It is practically non-irritating to the eyes and is non-irritating to the skin. Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including convulsions, tremors and bloody nasal discharge. Bifenthrin does not cause acute delayed neurotoxicity. Experience to date indicates that contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These sensations are reversible and usually subside within 12 hours. In humans, ingestion of large amounts of propylene glycol has resulted in symptoms of reversible central nervous system depression including stupor, rapid breathing and heartbeat, profuse sweating and seizures.

CHRONIC EFFECTS FROM OVEREXPOSURE: No data available for the formulation. In studies with laboratory animals, bifenthrin did not cause reproductive toxicity or teratogenicity. Tremors were associated with repeated exposure of laboratory animals to bifenthrin. In lifetime feeding studies conducted with laboratory animals, a slight increase in the incidence of urinary bladder tumors at the highest dose in male mice was considered to be an equivocal response, not evidence of a clear compound-related effect. The overall absence of genotoxicity has been demonstrated in mutagenicity tests with bifenthrin. Repeated overexposure to propylene glycol can produce central nervous system depression, hemolysis and minimal kidney damage.

CARCINOGENICITY:

NTP:	Not listed
IARC:	Not listed
OSHA:	Not listed
OTHER:	Not Listed (ACGIH)

12. ECOLOGICAL INFORMATION

Unless otherwise indicated, the data presented below are for the active ingredient.

ENVIRONMENTAL DATA: In soil, bifenthrin is stable over a wide pH range and degrades at a slow rate that is governed by soil characteristics. Bifenthrin will also persist in aquatic sediments. Bifenthrin has a high Log Pow (6.6), a high affinity for organic matter, and is not mobile in soil. Therefore, there is little potential for movement into ground water. There is the potential for bifenthrin to bioconcentrate (BCF <2,000).

ECOTOXICOLOGICAL INFORMATION: Bifenthrin is highly toxic to fish and aquatic arthropods and LC₅₀ values range from 0.0038 to 17.8 µg/L. In general, the aquatic arthropods are the most sensitive species. Care should be taken to avoid contamination of the aquatic environment. Bifenthrin had no effect on mollusks at its limit of water solubility. Bifenthrin is only slightly toxic to both waterfowl and upland game birds (LD₅₀ values range from 1,800 mg/kg to >2,150 mg/kg).

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Open dumping or burning of this material or its packaging is prohibited. If spilled material cannot be disposed of by use according to label instructions, an acceptable method of disposal is to incinerate in accordance with local, state and national environmental laws, rules, standards and regulations. However, because acceptable methods of disposal may vary by location and regulatory requirements may change, the appropriate agencies should be contacted prior to disposal.

EMPTY CONTAINER: Non-returnable containers that held this material should be cleaned, prior to disposal, by triple rinsing. Containers which held this material may be cleaned by being triple-rinsed, and recycled, with the rinsate being incinerated. Do not cut or weld metal containers. Vapors that form may create an explosion hazard.

14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT)

PACKAGING TYPE:	Non-Bulk
ADDITIONAL INFORMATION:	This material is not a hazardous material as defined by US Department of Transportation at 49 CFR Parts 100 through 185.
PACKAGING TYPE:	Bulk
PROPER SHIPPING NAME:	Environmentally hazardous substance, liquid, n.o.s.
TECHNICAL NAME(S):	Bifenthrin
PRIMARY HAZARD CLASS / DIVISION:	9
UN/NA NUMBER:	UN 3082
PACKING GROUP:	III
MARINE POLLUTANT:	Bifenthrin
LABEL(S):	9
PLACARD(S):	9
MARKING(S):	3082

INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Environmentally hazardous substance, liquid, n.o.s.
TECHNICAL NAME(S):	Bifenthrin
PRIMARY HAZARD CLASS / DIVISION:	9
UN/NA NUMBER:	UN 3082
PACKING GROUP:	III
MARINE POLLUTANT:	Bifenthrin
LABEL(S):	9
PLACARD(S):	9
MARKING(S):	Environmentally hazardous substance, liquid, n.o.s. (bifenthrin), UN3082 + Marine Pollutant
ADDITIONAL INFORMATION:	EmS Number: F-A, S-F

ADR - EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Environmentally hazardous substance, liquid, n.o.s.
TECHNICAL NAME(S):	Bifenthrin
PRIMARY HAZARD CLASS / DIVISION:	9
CLASSIFICATION CODE:	M6
UN/NA NUMBER:	UN3082
PACKING GROUP:	III
HAZARD IDENTIFICATION NUMBER:	90
MARINE POLLUTANT:	Bifenthrin
LABEL(S):	9
PLACARD(S):	9
MARKING(S):	UN3082 + Marine Pollutant

**INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) /
INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA)**

PACKAGING TYPE:	Non-Bulk
PROPER SHIPPING NAME:	Environmentally hazardous substance, liquid, n.o.s.
TECHNICAL NAME(S):	Bifenthrin
PRIMARY HAZARD CLASS / DIVISION:	9
UN/NA NUMBER:	UN3082
PACKING GROUP:	III
LABEL(S):	9
LIMITED QUANTITY:	Y914 / 30 kg
LIMITED QUANTITY: PASSENGER / CARGO:	914 / No limit
LIMITED QUANTITY: CARGO:	914 / No limit
ADDITIONAL INFORMATION:	When shipped by air within the USA, this product is not regulated as a Marine Pollutant in non-bulk packages and does not require identification as a Marine Pollutant; however, when shipped by air within, to and/or from ADR signatory countries, identification as Marine Pollutant is required. Marks: Environmentally hazardous substance, liquid, n.o.s.

UN3082 + Marine Pollutant

OTHER INFORMATION:

HARMONIZED SYSTEM NUMBERS:

Import to the U.S.A.: 3808.10.2500

Export from the U.S.A.: 3808.10.0000

15. REGULATORY INFORMATION**UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A):**

Not listed

SECTION 311 HAZARD CATEGORIES (40 CFR 370):

Immediate, Delayed

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370):

The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000 lbs; however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.:

None

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372):

This product contains the following ingredients subject to Section 313 reporting requirements:

Bifenthrin

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT)**CERCLA DESIGNATION & REPORTABLE QUANTITIES (RQ) (40 CFR 302.4):**

Not listed

FEDERAL INSECTICIDE FUNGICIDE RODENTICIDE ACT

U.S. EPA Signal Word: CAUTION

INTERNATIONAL LISTINGS

Australian Hazard Code: 3XE

HAZARD, RISK AND SAFETY PHRASE DESCRIPTIONS:Bifenthrin:

EC Symbols:	T	(Toxic)
	Xn	(Harmful)
	N	(Dangerous for the environment)

EC Risk Phrases:	R25	(Toxic if swallowed.)
	R20	(Harmful by inhalation.)
	R43	(May cause sensitization by skin contact.)
	R50/53	(Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.)
EC Safety Phrases:	S1/2	(Keep locked up and out of reach of children.)
	S23	(Do not breathe gas, fumes, vapor, or spray)
	S24	(Avoid contact with skin.)
	S37	(Wear suitable gloves.)
	S38	(In case of insufficient ventilation, wear suitable respiratory equipment.)
	S45	(In case of accident or if you feel unwell, seek medical advice immediately - show the label where possible.)
	S29	(Do not empty into drains.)

Notes For Preparation:

CLASSIFICATION: Mandatory labeling (self-classification) of hazardous substances: applicable

16. OTHER INFORMATION

REVISION SUMMARY:

New MSDS.

Talstar and FMC Logo - Trademarks of FMC Corporation
SuperSoap - Trademark of Weba Technologies, Inc.; Tide - Trademark of Proctor and Gamble; Spic and Span: Trademark of The Spic and Span Company; Clorox - Trademark of The Clorox Company

© 2006 FMC Corporation. All Rights Reserved.

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.