

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

May be fatal if swallowed. May be harmful if absorbed through the skin. Do not get in eyes, on skin, or on clothing. Avoid breathing dust. Wear waterproof gloves if dust is handled. Wash arms and face with soap and water after mixing or handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**USE RESTRICTIONS:** Use against the house mouse inside homes, industrial and agricultural buildings, and similar man-made structures. ZP TRACKING POWDER may be dusted into exterior openings of structures where mice can enter. ZP TRACKING POWDER must be placed in locations not accessible to children, pets, domestic animals or nontarget wildlife. If using this product in agricultural buildings where livestock feeds are stored, or in commercial food service, food manufacturing or food processing establishments, limit treatments to concealed, inaccessible places such as spaces between floors and walls. Do not apply tracking powder along walls, in corners, or in open floor areas or on rafters of rooms in which food or feed is handled or stored. Do not place ZP TRACKING POWDER in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not place near ventilation duct openings.

**RESTRICTED-USE PESTICIDE**

**Due to Acute Oral Toxicity**

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

**ZP<sup>®</sup>**

**Tracking Powder**

**For Indoor Use Only**

**KILLS HOUSE MICE**

**ACTIVE INGREDIENT:**

Zinc Phosphide (CAS #1314-84-7) .....10%

INERT INGREDIENTS:..... 90%

TOTAL 100%

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

**FIRST AID**

**HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE**

Any persons applying zinc phosphide products and experiencing signs or symptoms such as nausea, abdominal pain, tightness in the chest, or weakness should be seen by a physician immediately.

**IF SWALLOWED:**

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice or transport to the nearest hospital.
- Do not drink water.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

**IF ON SKIN:**

- Remove contaminated clothing.
- Rinse skin with water for 15 – 20 minutes. Get medical attention.
- Call a poison control center or doctor immediately for treatment advice.

**IF INHALED:**

- Remove person to fresh air.
- If not breathing, give artificial respiration, preferably mouth to mouth.
- Call a poison control center or doctor immediately for treatment advice.

**IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor immediately for treatment advice.

**NET WEIGHT: 1.1 lb. (500 g)**

Manufactured by:



**Bell Laboratories, Inc.**  
Madison, WI 53704 U.S.A.

**SELECTION OF TREATMENT AREAS:**

Determine dry, acid-free areas where mice will most likely pick up ZP TRACKING POWDER on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings and burrows, in corners and concealed places, in spaces between floors and walls, or in locations where rodents or their signs have been observed. Remove goods piled directly on floor and place on skids. Use boxes or other obstacles to force mice to travel through constricted areas.

**APPLICATION DIRECTIONS:**

Evenly sprinkle 3 to 6 grams (one to two level teaspoonful amounts) of ZP TRACKING POWDER in approximately 3 by 24 inch patches. ZP TRACKING POWDER may be dusted into wall voids, spaces between floors or into burrows utilizing hand-powered dusters such as bulb or bellows type. Maintain ZP TRACKING POWDER in treated areas for at least 20 days. Where accessible, collect and dispose of all dead animals and used powder properly. Do not treat the same area with this product at less than 30 day intervals.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

**CONTAINER DISPOSAL:** Do not reuse empty container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Call your local waste agency for any questions on proper disposal.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.